



SMALL ARMS
AMMUNITION



• **prvi partizan** •



Dear Partners,

It is the honor to be at the head of Prvi partizan, successful company that lasts almost 90 years.

Thanks to generation of employees passionately dedicated to our company, the future of growth and success is guaranteed.

We always stay true to our customers and to ourselves, which allowed us to become one of the leading brands in military industry.

We bring you finest, most accurate, high quality and safe ammunition.

What's the most important, we will continue our development.

In our catalogue you can find almost everything for the needs of your armies, law enforcement and special units. If not, we are here to try to satisfy your needs.

Yours truly,

Dobrosav Andric
General Manager



Future oriented technology provides high quality of our products with safety, reliability and precision, as the most important factors for users.

PPU quality assurance, testing and controlling the product quality is in accordance with harmonized MOPI and MC MOPI as well with the other relevant standards.

Internationally recognized certifications are as important as precision, reliability and perfect match to the weapon.

We are certified for ISO 9001:2008, as well as ISO 14001:2004 and ISO 18001:2007, we will continue developing and improving ourselves.





RIFLE, LIGHT
MACHINE GUN
AND MACHINE
GUN AMMUNITION



Caliber and type	5,56 x 45 mm NATO BALL SS 109 Rifle cartridge with steel core bullet	5,56 x 45 mm BALL M855 Rifle cartridge with steel core bullet	5,56 x 45 mm BALL M193 Rifle cartridge with lead-antimony core bullet	5,56 x 45 mm TRACER M856 Rifle cartridge with tracer bullet	5,56 x 45 mm NATO TRACER L110 Rifle cartridge with tracer bullet
Index	A-110	A-710	A-008	A-435	A-735
Usage	5,56 x 45 mm caliber weapons with a 1:7" to 1:9" barrel twist	5,56 x 45 mm caliber weapons with a 1:7" to 1:9" barrel twist	5,56 x 45 mm caliber weapons with a 1:12" barrel twist	5,56 x 45 mm caliber weapons with a 1:7" barrel twist Visible trace 70-900 m from muzzle of the weapon.	5,56 x 45 mm caliber weapons with a 1:7" barrel twist Visible trace 140-900 m from muzzle of the weapon.
Standard	STANAG 4172	MIL-C-63989	MIL-C-9963	MIL-C-63990	STANAG 4172
Bullet type	BALL	BALL	BALL	TRACER	TRACER
Bullet mass	4 g 62 gr	4 g 62 gr	3,56 g 55 gr	4,1 g 63,3 gr	4,1 g 63,3 gr
Cartridge mass	12,1 g	12,1 g	11,8 g	12,1 g	12,1 g
Primer	Small rifle Non corrosive Non mercuric Boxer	Small rifle Non corrosive Non mercuric Boxer	Small rifle Non corrosive Non mercuric Boxer	Small rifle Non corrosive Non mercuric Boxer	Small rifle Non corrosive Non mercuric Boxer
Propellant	Double base powder	Double base powder	Double base powder	Double base powder	Double base powder
Average velocity	$V_{24} = 915^{+12}$ m/s	$V_{24} = 920^{+12}$ m/s	$V_{24} = 965^{+12}$ m/s	$V_{24} = 900^{+20}$ m/s	$V_{24} = 900^{+20}$ m/s
Temperature interval	-54°C +52°C	-54°C +52°C	-54°C +52°C	-54°C +52°C	-54°C +52°C
Packing	1000 rds /M2A1/ 15,2 kg 800 rds /M2A1/ 14,1 kg	1000 rds /M2A1/ 15,2 kg 800 rds /M2A1/ 14,1 kg	1000 rds /M2A1/ 14,7 kg	1000 rds /M2A1/ 15,2 kg 800 rds linked (4 x 200) 14,1 kg	1000 rds /M2A1/ 15,2 kg 800 rds linked (4 x 200) 14,1 kg



RIFLE, LIGHT
MACHINE GUN
AND MACHINE
GUN AMMUNITION




Caliber and type	5,56 x 45 mm BLANK M200 Rifle cartridge without bullet	5,56 x 45 mm BLANK M200A1 (Long) Rifle cartridge without bullet	5,56 x 45 mm (223 Remington) MATCH	5,56 x 45 mm (223 Remington) MATCH
Index	A-120	A-394	A-399	A-495
Usage	5,56 x 45 mm caliber weapons	5,56 x 45 mm caliber weapons such as machine guns and rifles	Sniper rifles with 1:9" or faster twist barrels	Sniper rifles with 1:9" or faster twist barrels
Standard	MIL-C-60616C	MIL-C-70724C	C.I.P SAAMI	C.I.P SAAMI
Bullet type			HP BT MATCH	HP BT MATCH
Bullet mass			4,47 g 69 gr	4,86 g 75 gr
Cartridge mass	6,9 g	7,2 g	12,5 g	12,9 g
Primer	Small rifle Non corrosive Non mercuric Boxer	Small rifle Non corrosive Non mercuric Boxer	Small rifle Non corrosive Non mercuric Boxer	Small rifle Non corrosive Non mercuric Boxer
Propellant	Special blank powder	Special blank powder	Double base powder	Double base powder
Average velocity			$V_{25} = 840^{±15}$ m/s	$V_{25} = 805^{±15}$ m/s
Temperature interval	-20°C +52°C	-20°C +52°C	-20°C +52°C	-20°C +52°C
Packing	1000 rds /M2A1/ 10,5 kg	1000 rds /M2A1/ 10,5 kg	1000 rds /cardboard case/ 14 kg	1000 rds /cardboard case/ 14,4 kg



RIFLE, LIGHT
MACHINE GUN
AND MACHINE
GUN AMMUNITION



Caliber and type	7,62 x 51 mm NATO BALL M80 Rifle cartridge with lead/antimony core bullet	7,62 x 51 mm NATO TRACER M62 Rifle cartridge with lead/antimony core bullet	7,62 x 51 mm SUBSONIC Rifle cartridge with lead/antimony core bullet	7,62 x 51 mm NATO BLANK M82 Rifle cartridge without bullet
Index	A-009 or A-306	A-532 or A-412	A-568 or A-548	A-420 or A-445
Usage	7,62 x 51 mm caliber weapons	7,62 x 51 mm caliber weapons	7,62 x 51 mm caliber weapons with twist barrel 8"	7,62 x 51 mm caliber weapons
Standard	STANAG 2310 MIL-C-46931F	STANAG 2310 MIL-C-46281		MIL-C-46933 A
Bullet type	BALL	TRACER	BALL	
Bullet mass	9,4 g 145 gr	9,4 g 145 gr	12,96 g 200 gr	
Cartridge mass	24 g	24 g	24,8 g	12 g
Primer	Large rifle Non corrosive Non mercuric Berdan (A-009) Boxer (A-306)	Large rifle Non corrosive Non mercuric Berdan (A-532) Boxer (A-412)	Large rifle Non corrosive Non mercuric Berdan (A-568) Boxer (A- 548)	Large rifle Non corrosive Non mercuric Berdan (A-445) Boxer (A-420)
Propellant	Double base powder	Single or double base powder	Single base powder	Single base powder
Average velocity	$V_{24} = 833^{+15}$ m/s	$V_{24} = 815^{+15}$ m/s	$V_0 = 320$ m/s	
Temperature interval	-54°C +52°C	-54°C +52°C	-54°C +52°C	-20°C +52°C
Packing	600 rds /M2A1/ 17,5 kg 500 rds linked /M2A1/ 16,75 kg	600 rds /M2A1/ 17,5 kg	600 rds /M2A1/ 18,1 kg	640 rds /M2A1/ 10,7 kg 500 rds on links M13 /M2A1/ 11kg 1000 rds /cardboard case/ 13 kg




**RIFLE, LIGHT
MACHINE GUN
AND MACHINE
GUN AMMUNITION**



Caliber and type	7,62 x 51 mm NATO MATCH M852 Rifle cartridge with lead/antimony core bullet	7,62 x 51 mm NATO SNIPER M118 Rifle cartridge with lead/antimony core bullet	7,62 x 51 mm (308 Winchester) MATCH	7,62 x 51 mm (308 Winchester) MATCH
Index	A-386 or A-525	A-387 or A-526	A-625	A-497
Usage	7,62 x 51 mm caliber weapons	7,62 x 51 mm caliber weapons	Sniper rifles with 9,5"-14" twist barrels	Sniper rifles with 9,5"-12" twist barrels
Standard	MIL-C-63450	MIL-C-46934	C.I.P SAAMI	C.I.P SAAMI
Bullet type	BALL	BALL	HP BT MATCH	HP BT MATCH
Bullet mass	10,9 g 168 gr	11,34 g 175 gr	10,1 g 155 gr	12,3 g 190 gr
Cartridge mass	25,5 g	25,8 g	24,5 g	27 g
Primer	Large rifle Non corrosive Non mercuric Berdan (A-525) Boxer (A-386)	Large rifle Non corrosive Non mercuric Berdan (A- 526) Boxer (A-387)	Large rifle Non corrosive Non mercuric Boxer	Large rifle Non corrosive Non mercuric Boxer
Propellant	Single or double base powder	Single or double base powder	Double base powder	Double base powder
Average velocity	$V_{25} = 777$ m/s	$V_{25} = 777$ m/s	$V_{25} = 830^{±15}$ m/s	$V_{25} = 740^{±15}$ m/s
Temperature interval	-54°C +52°C	-54°C +52°C	-54°C +52°C	-20°C +52°C
Packing	600 rds /M2A1/ 18,6 kg	600 rds /M2A1/ 18,7 kg	500 rds /cardboard case/ 14 kg	500 rds /cardboard case/ 14,8 kg



RIFLE, LIGHT MACHINE GUN AND MACHINE GUN AMMUNITION



CALIBER 7,62 x 39 mm



Caliber and type	7,62 x 39 mm BALL M67 Rifle cartridge with lead/antimony core bullet	7,62 x 39 mm BLANK Rifle cartridge without bullet	7,62 x 39 mm SUBSONIC M78 Rifle cartridge with lead/antimony core bullet
Index	A-639	A-393	A-043
Usage	7,62 x 39 mm caliber weapons	7,62 x 39 mm caliber weapons	7,62 x 39 mm caliber weapons
Bullet type	BALL		BALL
Bullet mass	8 g 123 gr		11,8 g 182 gr
Cartridge mass	17,4 g	9,7 g	20 g
Primer	Large rifle Non corrosive Non mercuric Berdan	Large rifle Non corrosive Non mercuric Boxer	Large rifle Non corrosive Non mercuric Berdan
Propellant	Single or double base powder	Single base powder	Single or double base powder
Average velocity	$V_{25}=733$ m/s		$V_{25}=290$ m/s
Temperature interval	-40°C +52°C	-20°C +52°C	-40°C +52°C
Packing	990 rds /M2A1/ 21,1 kg 500 rds /cardboard case/ 18,50 kg	1440 rds /carton box/ 15 kg	990 rds /M2A1/ 25 kg




RIFLE, LIGHT
MACHINE GUN
AND MACHINE
GUN AMMUNITION



Caliber and type	7,62 x 54 mm BALL M30 (J) Rifle cartridge with lead/antimony core bullet	7,62 x 54 BALL M87 Rifle cartridge with steel core bullet	7,62 x 54 mm BLANK Rifle cartridge without bullet
Index	A-061	A-039	A-392 or A-422
Usage	7,62 x 54 mm caliber weapons	7,62 x 54 mm caliber weapons	7,62 x 54 mm caliber weapons
Bullet type	BALL	BALL	
Bullet mass	11,8 g 182 gr	9,6 g 148 gr	
Cartridge mass	24,9 g	22,7 g	13,2 g
Primer	Large rifle Non corrosive Non mercuric Berdan 6,55 DTN	Large rifle Non corrosive Non mercuric Berdan 6,55 DTN	Large rifle Non corrosive Non mercuric Berdan (A-422) Boxer (A-392)
Propellant	Single base powder	Single base powder	Single or double Base powder
Average velocity	$V_{25}=785^{+15}$ m/s	$V_{25}=830^{+10}$ m/s	
Temperature interval	-40°C +52°C	-40°C +52°C	-20°C +52°C
Packing	510 rds /M2A1/ 16 kg 750 rds /cardboard case/ 19,8 kg	510 rds /M2A1/ 16 kg 750 rds /cardboard case/ 18 kg	675 rds /cardboard case/ 9,7 kg



RIFLE, LIGHT
MACHINE GUN
AND MACHINE
GUN AMMUNITION



Caliber and type	7,62 x 54 mm SNIPER M03 Rifle cartridge with lead/antimony core bullet	7,62 x 54 mm SNIPER Rifle cartridge with lead/antimony core bullet	7,62 x 54 mm MATCH Rifle cartridge with lead/antimony core bullet
Index	A-340	A-579	A-601
Usage	7,62 x 54 mm caliber weapons	7,62 x 54 mm caliber weapons	7,62 x 54 mm caliber weapons
Bullet type	SNIPER M03	SNIPER	303MK8 ²
Bullet mass	11,8 g 182 gr	11,8 g 182 gr	12,3 g 190 gr
Cartridge mass	24,9 g	24,9 g	25,5 g
Primer	Large rifle Non corrosive Non mercuric Berdan 6,55 DTN	Large rifle Non corrosive Non mercuric Berdan 6,55 DTN	Large rifle Non corrosive Non mercuric Boxer
Propellant	Single base powder	Double base powder	Double base powder
Average velocity	$V_{25} = 785^{+8}$ m/s	$V_{25} = 785^{+8}$ m/s	$V_{25} = 765^{+10}$ m/s
Temperature interval	-40°C +52°C	-20°C +52°C	-20°C +52°C
Packing	510 rds /M2A1/ 16 kg 750 rds /cardboard case/ 19,8 kg	500 rds /cardboard case/ 19,8 kg	500 rds /cardboard case/ 20 kg



LONG RANGE SNIPER AMMUNITION

CALIBER 8,60 x 70 mm



Caliber and type	338 Lapua Magnum (8,60 x 70 mm) Rifle cartridge with lead/antimony core bullet	338 Lapua Magnum (8,60 x 70 mm) Rifle cartridge with lead/antimony core bullet
Index	A-421	A-423
Usage	338 Lapua Magnum sniper rifles	338 Lapua Magnum sniper rifles
Standard	C.I.P	C.I.P
Bullet type	BALL	HP BT
Bullet mass	16,2 g 250 gr	16,2 g 250 gr
Cartridge mass	44 g	44 g
Primer	Large rifle magnum Non corrosive Non mercuric Boxer	Large rifle magnum Non corrosive Non mercuric Boxer
Propellant	Double base powder	Double base powder
Average velocity	$V_{25}=890^{+15}$ m/s	$V_{25}=890^{+15}$ m/s
Temperature interval	-54°C +52°C	-54°C +52°C
Packing	200 rds /M2A1/ 9,2 kg 400 rds /cardboard case/ 19,25 kg	200 rds /M2A1/ 9,2 kg 400 rds /cardboard case/ 19,25 kg



LONG RANGE SNIPER AMMUNITION

CALIBER 12,7 x 99 mm



Caliber and type	.50 BROWNING (12,7 x 99 mm) SNIPER	.50 BROWNING (12,7 x 99 mm) BALL M33	.50 BROWNING (12,7 x 99 mm) BLANK
Index	A-429	A-261	A-534
Usage	50 Browning sniper rifles	50 Browning machine guns	50 Browning machine guns
Standard	MOPI	MIL-C-10190D	MIL-C-48626
Bullet type	SOLID RM06-2	BALL Tombac jacket Core with lead/antimony+ steel core+lead coverage	
Bullet mass	47 g 725 gr	45,3 g 699 gr	
Cartridge mass	119 g	116 g	55 g
Primer	Large rifle 12,7 Non corrosive Non mercuric Boxer	Large rifle 12,7 Non corrosive Non mercuric Boxer	Large rifle 12,7 Non corrosive Non mercuric Boxer
Propellant	Double base powder	Double base powder	Double base powder
Average velocity	$V_{25}=860^{+10}$ m/s	$V_{25}=890^{+10}$ m/s	
Temperature interval	-54°C +52°C	-54°C +52°C	-20°C +52°C
Packing	120 rds /M2A1/ 17 kg	120 rds /M2A1/ 17 kg	100 rds linked /M2A1/ 6,1 kg



CALIBER 12,7 x 108 mm



**LONG RANGE
SNIPER
AMMUNITION**



Caliber and type	12,7 x 108 mm SNIPER M09	12,7 x 108 mm BALL	12,7 x 108 mm BALL
Index	A-342	A-341	A-663
Usage	12,7 x 108 mm Sniper rifles	12,7 x 108 mm Machine guns	12,7 x 108 mm Machine guns
Bullet type	SOLID M09	BALL Jacket: Tombac plated steel Core with aluminium on the top + core with lead/antimony	BALL Jacket: Tombac plated steel Core with lead/antimony
Bullet mass	51,3 g 792 gr	51,3 g 792 gr	51,3 g 792 gr
Cartridge mass	134 g	134 g	134g
Primer	Large rifle 12,7 DSK Berdan	Large rifle 12,7 DSK Berdan	Large rifle 12,7 DSK Berdan
Propellant	Single or double base powder	Single or double base powder	Single or double base powder
Average velocity	$V_{25} = 805^{+8}$ m/s	$V_{25} = 810-825$ m/s	$V_{25} = 810-825$ m/s
Temperature interval	-54°C +52°C	-54°C +52°C	-54°C +52°C
Packing	100 rds /12,7 DSK/ 16,5 kg	100 rds /12,7 DSK/ 16,5 kg	100 rds /12,7 DSK/ 16,5 kg



**PISTOL
SUBMACHINE GUN
AND REVOLVER
AMMUNITION**



Caliber and type	6,35 mm (.25 Auto) Pistol cartridge With lead/antimony core bullet	7,65 mm Browning (.32 Auto) Pistol cartridge with lead/antimony core bullet	9 x17 mm (.380 Auto) Pistol cartridge with lead/antimony core bullet	9 mm Makarov BALL Pistol cartridge with lead/antimony Core bullet
Index	A-160	A-150	A-144	A-215
Usage	Pistol caliber 6,35 mm	Pistol caliber 7,65 mm	Pistol caliber 380 Auto	Pistol caliber 9 x18 mm
Standard	C.I.P SAAMI	C.I.P SAAMI	SAAMI	C.I.P SAAMI
Bullet type	BALL	BALL	BALL	BALL
Bullet mass	3,25 g 50 gr	4,6 g 71 gr	6,1 g 94 gr	6,0 g 93 gr
Cartridge mass	5,1 g	7,8 g		9,9 g
Primer	Small pistol Non corrosive Non mercuric Boxer	Small pistol Non corrosive Non mercuric Boxer	Small pistol Non corrosive Non mercuric Boxer	Small pistol Non corrosive Non mercuric Boxer
Propellant	Single base flake powder	Single or double base powder	Double base powder	Single or double base powder
Average velocity	$V_{12,5}=230^{+25}$ m/s	$V_{12,5}=310^{+10}$ m/s	$V_{13,5}=280^{+25}$ m/s	$V_{10}=315^{+10}$ m/s
Temperature interval	-30°C +52°C	-30°C +52°C	-30°C +52°C	-30°C +52°C
Packing	5000 rds /cardboard box/ 27,60 kg	2200 rds /M2A1/ 23,30 kg	2400 rds /cardboard box/ 24,6 kg	1350 rds /M2A1/ 14,3 kg 2400 rds /carton case/ 24,6 kg



**PISTOL
SUBMACHINE GUN
AND REVOLVER
AMMUNITION**



Caliber and type	7.62 mm TOKAREV BALL Pistol cartridge with lead / antimony core bullet	.38 Super Auto Pistol cartridge with lead / antimony core bullet	.38 Special Revolver cartridge with lead / antimony core bullet	45 AUTO BALL Pistol cartridge with lead-antimony core bullet
Index	A-147	A-354	A-158	A-079
Usage	7.62 x 25 mm caliber weapons	Weapons caliber .38 Super Auto.	Weapons caliber .38 Special.	45 Auto caliber weapons.
Standard		C.I.P SAAMI	C.I.P SAAMI	MIL-C-1311E
Bullet type	Ball	Ball	FMS	Ball
Bullet mass	5.5 g 80 gr	8.4 g 130 gr	10.2 g 158 gr	14.9 g 230 gr
Cartridge mass	11 g	13 g	14.92 g	21.5 g
Primer	Small pistol Boxer non corrosive non mercuric	Small pistol Boxer non corrosive non mercuric	Small pistol Boxer non corrosive non mercuric	Large pistol Boxer non corrosive non mercuric
Propellant	Single or double base powder	Double or single base powder	Double or single base powder	Single base powder
Average velocity	$V_{12.5} = 500^{+10}$	$V_5 = 365^{+15}$	$V_{12.5} = 270^{+15}$	$V_{12.5} = 250^{+15}$
Temperature interval	-30°C +52°C	-30°C +52°C	-30°C +52°C	-30°C +52°C
Packing	a) 1350 rds in metal box M2A1 b) 1800 rds in attested carton case 21.3 kg	1500 rds in cardboard box 22.4 kg	950 rds in metal box M2A1	1000 rds in cardboard case 21.9 kg



**PISTOL
SUBMACHINE GUN
AND REVOLVER
AMMUNITION**



Caliber and type	9 x 19 mm BALL Pistol cartridge with lead/antimony core bullet	9 x 19 mm BALL Pistol cartridge with lead/antimony core bullet	9 x 19 mm SUBSONIC BALL Pistol cartridge with lead/antimony core bullet	9 x 19 mm BLANK Pistol cartridge with lead/antimony core bullet
Index	A-430	A-355	A-627	A-527
Usage	9 x 19 mm PARABELLUM caliber weapons	9 x 19 mm PARABELLUM caliber weapons	9 x 19 PARABELLUM caliber weapons capable for subsonic purpose	9 x 19 mm PARABELLUM caliber weapons with blank firing adopter
Standard	STANAG 4090	STANAG 4090		
Bullet type	BALL	BALL	BALL SUBSONIC	
Bullet mass	7,45 g 115 gr	8,0 g 124 gr	9,5 g 147 gr	
Cartridge mass	11,7 gr	12,1 g	13,7 g	5,4 g
Primer	Small pistol Non corrosive Non mercuric Boxer	Small pistol Non corrosive Non mercuric Boxer	Small pistol Non corrosive Non mercuric Boxer	Small pistol Non corrosive Non mercuric Boxer
Propellant	Single or double base powder	Single or double base powder	Single or double base powder	Single base powder
Average velocity	$V_{16} = 370^{±10}$ m/s	$V_{16} = 380^{±10}$ m/s	$V_{16} = 290^{±10}$ m/s	
Temperature interval	-54°C +52°C	-54°C +52°C	-30°C +52°C	-20°C +52°C
Packing	1350 rds /M2A1/ 19,5 kg	1350 rds /M2A1/ 20,3 kg	1350 rds /M2A1/ 22,5 kg	2000 rds /cardboard box/ 11,5 kg



PISTOL SUBMACHINE GUN AND REVOLVER AMMUNITION



PISTOL SUBMACHINE GUN AND REVOLVER AMMUNITION



Caliber and type	38 Special +P Revolver cartridge with Lead/ antimony core bullet	357 Magnum Revolver cartridge with Lead/ antimony core bullet
Index	A-332	A-339 or A-338
Usage	38 Special + P caliber weapons	357 Magnum caliber weapons
Standard	C.I.P SAAMI	C.I.P SAAMI
Bullet type	TMJ	FPJ or SJFP
Bullet mass	10,2 g 158 gr	10,2 g 158 gr
Cartridge mass	15,2 g	16,4 g
Primer	Small pistol Non corrosive Non mercuric Boxer	Small pistol magnum Non corrosive Non mercuric Boxer
Propellant	Single or double base powder	Double base powder
Average velocity	$V_{12,5} = 270^{+15}$ m/s	$V_{12,5} = 475^{+10}$ m/s
Temperature interval	-30°C +52°C	-30°C +52°C
Packing	1500 rds /cardboard box/ 24,5 kg	1500 rds /cardboard box/ 25,4 kg



**PISTOL
SUBMACHINE GUN
AND REVOLVER
AMMUNITION**



Caliber and type	40 Smith & Wesson Pistol cartridge with lead/antimony core bullet	10 mm Auto Pistol cartridge with lead/antimony core bullet	44 Remington Magnum Pistol cartridge with lead/antimony core bullet	44 Remington Magnum Pistol cartridge with lead/antimony core bullet
Index	A-353	A-361	A-221	A-580
Usage	40 S & W caliber weapons	10 mm Auto caliber weapons	44 Rem.Magnum caliber weapons	44 Rem. Magnum caliber weapons
Standard	C.I.P SAAMI	C.I.P SAAMI	C.I.P SAAMI	C.I.P SAAMI
Bullet type	TMJ	FPJ	FPJ	SJHP
Bullet mass	11,7 g 180 gr	11 g 170 gr	11,7 g 180 gr	15,5 g 240 gr
Cartridge mass	16,5 g	16,0 g	19,6 g	24,4 g
Primer	Small pistol Non corrosive Non mercuric Boxer	Large pistol Non corrosive Non mercuric Boxer	Large pistol Non corrosive Non mercuric Boxer	Large pistol Non corrosive Non mercuric Boxer
Propellant	Double base powder	Double base powder	Double base powder	Double base powder
Average velocity	$V_{12,5} = 280^{±25}$ m/s	$V_{12,5} = 330^{±25}$ m/s	$V_{12,5} = 530^{±15}$ m/s	$V_{12,5} = 455^{±15}$ m/s
Temperature interval	-30°C +52°C	-30°C +52°C	-30°C +52°C	-30°C +52°C
Packing	1500 rds /cardboard box/ 26,2 kg	1500 rds /cardboard box/ 26,4 kg	1000 rds /cardboard box/ 21,9 kg	1000 rds /cardboard box/ 25,8 kg



PACKING

Packing provides reliability and durability of our products during storage, handling and it protects the product of climatic influences.

Elements of packing have certificates for all used raw materials as well as for the quality of workmanship. Some packing is adjusted for easy usage with the weapon, which has direct influence on safety and satisfaction of user.

Robust packing design provides fulfillment of warranty as well as life time period of our products.





PPU • prvi partizan •

General Manager • tel: +381 31 563 442 • fax: +381 31 563 472
Marketing Manager • tel: +381 31 563 478 • fax: +381 31 563 436
office@prvipartizan.com • www.prvipartizan.com
Prvi Partizan a.d. • Miloša Obrenovića 2 • 31000 Užice • Serbia